REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Dayis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

Davis Highway, Suite 1204, Arlington, VA 22202-		and Budget, Paperwork Reduction	Project (0704-0166), Was	Shirigion, DC 20003.
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE A	ND DATES COVERE	,
	31.Jan.03	i	THESIS	
4. TITLE AND SUBTITLE			5. FUNDING NUM	IBERS
INTEGRATING COMPUTERIZEI	O VIRTUAL RALITY WITH	H TRADITIONAL		
METHODS OF TEACHING SKUI				
METHODS OF TEACHING BROS	25 711 (111 (111 1			
			-	
6. AUTHOR(S)				
CAPT TODD BRUCE D				
7. PERFORMING ORGANIZATION NA			8. PERFORMING	
UNIFORMED SERVICES UNIV (OF HEALTH SCIENC		REPORT NUMI	SER
				00.040
			CI	02-849
	IOV NAME (O) AND ADDRESS	-0)	10. SPONSORING	MONITORING
9. SPONSORING/MONITORING AGEN		:0)		ORT NUMBER
THE DEPARTMENT OF THE AII	K FORCE			
AFIT/CIA, BLDG 125			1	
2950 P STREET			1	
WPAFB OH 45433			1	
WIAIBOII 43433				
11. SUPPLEMENTARY NOTES				
11. 551. 222				
The state of the s	ATCHACNIT		112b. DISTRIBUTIO	N CODE
12a. DISTRIBUTION AVAILABILITY ST	ATEIVIENT		120. 01011110011	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Unlimited distribution				
In Accordance With AFI 35-205/Al	FIT Sup 1			
13. ABSTRACT (Maximum 200 words)	,			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
				•
				A 7 7
DISTRIBUTION STA	rement A	ለለ ለ'	フロウウル	766
DISTRIBUTION STA	Polosse	71111	5 11//1	100
Approved for Public	; nelease	LUU	30221	IAA
Distribution Uni	mited			
Diotribution of				
14. SUBJECT TERMS	-73		15. NUN	BER OF PAGES
				53
			16. PRIC	E CODE
17. SECURITY CLASSIFICATION 18	SECURITY CLASSIFICATION	19. SECURITY CLASSI	FICATION 20. LIMI	TATION OF ABSTRACT
OF REPORT	OF THIS PAGE	OF ABSTRACT		
1		1		

Thesis Manual Approval Sheet

INTEGRATING COMPUTERIZED VIRTUAL REALITY WITH TRADITIONAL METHODS OF TEACHING SKULL ANATOMY

CPT Karla Atchley, CPT Bruce Todd

APPROVED

> D4.	71. 11
D.D.R. Camti	May 16, 2002
Chair Thomas S. Kanfman	May 16 2002 May 16 2002
Member U	U _{Daté}
Member Member	Mary 16, 2007 Date
Member Osvalda Buston	Date May 16, 2002
Member	Plate
Member	Date

APPROVED:

F.G. Abdellah, Ed.D., ScD., RN, FAAN

Dean

Karla M. Atchley, R.N., B.S.N., C.C.R.N. 39 Meehan Drive Dayton, Ohio, 45431 (937) 252-8542

COMMISSIONED IN SERVICE: 04 DECEMBER 1997

SPECIALTY: Critical Care Staff Nurse (Special Care Unit)

AFSC: 46N3EM

CURRENT ASSIGNMENT: 5651 Fir Street

Wright-Patterson AFB, OH 45433

(937) 257-0596

e-mail: katchley@usuhs.mil

FORMAL EDUCATION:

Institution Uniformed Services University of Health Sciences Bethesda, Md	Degree Masters of Science in Nursing Anesthesia	Year Pending
Arkansas Tech University Russellville, Arkansas	Bachelor of Science in Nursing	December 1992
Westark Community College Ft. Smith, Arkansas	Associate Degree in Nursing	December 1982
Rich Mountain Vo-Tec Mena, Arkansas	Licensed Practical Nurse	June 1977

Military Experience

Institution Wright Patterson Air Force Dayton, OH	Position Student Certified Nurse Anesthetist	Dates June 2001 - present
Uniformed Services University of Health Sciences Bethesda, Md	Student in Graduate Nurse Program	June 2000 – May 2001
United States Air Force Academy Colorado Springs, Colorado	Registered Nurse 10 th Medical Group Special Care Unit	February 1998- May 1999

Civilian Experience

Crawford Memorial Hospital VanBuren, Arkansas	Registered Nurse Nursing Supervisor 103 bed hospital	November 1988- January 1998
Westark Community College Fort Smith, Arkansas	Registered Nurse Clinical Instructor LPN students	August 1993- April 1994
Sparks Regional Medical Center Fort Smith, Arkansas	Registered Nurse Medical / Intensive Care Unit (30 beds)	November 1988- February 1994
Holt-Krock Hemodialysis Unit Fort Smith, Arkansas	Registered Nurse Hemodialysis Unit Acute (8 beds)	November 1984- August 1988
St. Edwards Medical Center Ft. Smith, Arkansas	Registered Nurse Staff Nurse/Charge Nurse	February 1981- November 1988

Professional Honors

Dean's List 1992 Spring 1991 Fall 1990 Fall & Spring 1989 Fall & Spring

Certification

Critical Care Registered Nurse (CCRN)
Advanced Cardiac Life Support Provider (ACLS)
Pediatric Advanced Life Support (PALS)
Self-Aid Biddy Care (SABC) Instructor
Cardiopulmonary Resuscitation (CPR) Instructor
Trauma Nursing Core Care (TNCC)
Critical Care Air Transport Team Course (CCATT)

Professional Organizations

American Association of Critical Care Nurses Southern Colorado Chapter

Military Education

SOS in Correspondence August 1999 Nursing Service Fundamentals (NSF) July 1998 PREPARED ON 04 MAY 2002

BRUCE D. TODD, Capt, USAF, NC

CURRENT MILITARY ADDRESS / PHONE NUMBER:

4881, Sugar Maple Drive 74th Medical Group Wright-Patterson Air Force Base, Oh. 45431 Comm: (937) 295-9008

RN EXPERIENCE AND QUALIFICATIONS:

2000 - Present	Certified Nurse Anesthetist Student, Uniformed Services University of the Health
	Sciences
1999 – 2000	Clinical Nurse Intensive Care Unit, 74th Medical Group, WPAFB, OH
1998 - 1999	Assistant Nurse Manager Post Anesthesia Care Unit 74th Med Group, WPAFB,
	ОН
1997 - 1998	Clinical Nurse, Surgical Unit (4 West), 74th Medical Group, WPAFB, OH

Three years medical surgical nursing experience to include two years on a 40 bed and one year on a 22 bed general surgery unit. Specialties served included general surgery, orthopedics, GYN, thoracic/vascular surgeries, urology, EENT, neurology, dentistry, pediatrics, colorectal, and plastics. Independently managed the care of up to eleven post-operative patients while supervising up to two nurses, three technicians, and one administrative personnel. Completion of Critical Care Nursing Course in March of 1998, Medical Surgical Certification obtained in June 1998, and Trauma Nursing Core Course certification in April of 1999.

POST SECONDARY EDUCATION AND AIR FORCE SCHOOLS:

1998	Nursing Service Fundamentals	Correspondence
1998	Lieutenants Professional Development Program Bachelor of Science in Nursing	Wright Patterson, AFB, OH. Thomas Jefferson University,
1997	bachelor of Science in Nursing	Philadelphia, PA.
1995	Associate of Applied Science in Nursing	Raritan Valley Community
		College, Somerset, NJ.
1993	Licensed Practical Nurse	Hunterdon County Community
		College, Hunterdon, NJ.
1992	Associate of Arts	San Diego Community College,
		San Diego, Ca.

PROFESSIONAL ORGANIZATIONS:

1998	American Nurses Association	
1997	National Association of Orthopedic Nurses	
1997	Sigma Theta Tau International Honor Society of Nursing	
1994	Phi Theta Kappa honors society	
DATE PREPARED: 4 May, 2002		

DISCLAIMER STATEMENT

This work was supported by the Uniformed Services University of the Health Sciences

Protocol No. T061CJ-01. The opinions or assertions contained herein are the private

opinions of the authors and are not to be construed as official or reflecting the views of
the Department of Defense or the Uniformed Services University of the Health Sciences.

COPYRIGHT STATEMENT

The author herby certifies that the use of any copyrighted material in the project entitled: "Integrating Computerized Virtual Reality with Traditional Methods of Teaching Skull Anatomy" beyond brief excerpts is with the permission of the copyright owner, and will save and hold harmless the Uniformed Services University of the Health Sciences from any damage which may arise from such copyright violations.

Title: INTEGRATING COMPUTERIZED VIRTUAL REALITY WITH TRADITIONAL METHODS OF TEACHING SKULL ANATOMY

Authors: Capt. Karla M. Atchley, SRNA, BSN, NC, USAF Capt. Bruce D. Todd, SRNA, BSN, NC, USAF Janice Agazio DNSc, RN, Howard Bryant, Osvaldo Bustos, MD, Thomas S. Kaufman, PhD, Leon Moore, PhD, and Donald D. Rigamonti, PhD,

Affiliation: Uniformed Services University of the Health Sciences, Schools of Medicine and Graduate School of Nursing (USU, SOM, GSN)

Introduction: The continuing education of health care providers is reliant on recently developed and emerging technological advances such as Virtual Reality (VR). While VR has been evaluated in other areas of teaching the effectiveness of VR to improve anatomical education is minimal.

Methods: The project was a descriptive, evaluative study that compared the benefit of using VR in conjunction with a traditional anatomy lecture to traditional anatomy lecture alone. A convenience sample of 18 USU GSN students was used. Outcomes were measured on the differences between a twenty item pre-test measured baseline knowledge and compared with a similar post-test after completing their skull anatomy learning module. Comparison of the pre and post-test scores was completed using paired t-test to determine the improvement in scoring after participating in the lesson. Participants' demographics (gender, sex, age, etc) were also collected to provide descriptive data.

RESULTS: Data were entered and analyzed using SPSS 10.0 computer program. The mean for the pretest score was 12.39 and the mean for the posttest score was 16.83. Using a paired t-test, the difference for the group between the pre-test and post-test resulted in t = -7.607, p < .0001. The resulting confidence interval for the mean difference between the two tests was -5.68 to -3.21.

CONCLUSION: The results were statistically significant, demonstrating that VR did improve the learning experience. Additionally, the satisfaction questionnaire showed that students preferred having the VR augmentation in there learning experience.

SOURCE OF FUNDING: Uniformed University of the Health Sciences, Graduate School of Nursing.

SCHOLARLY PROJECT REPORT TITLE PAGE

INTEGRATING COMPUTERIZED VIRTUAL REALITY WITH TRADITIONAL METHODS OF TEACHING SKULL ANATOMY

By

KARLA MARIE ATCHLEY, RN, BSN, CAPTAIN, USAF, NC BRUCE DOUGLAS TODD, RN, BSN, CAPTAIN, USAF, NC

SCHOLARLY PROCECT REPORT

Presented to the Graduate School of Nursing Faculty of

The Uniformed Services University of the Health

Sciences in Partial Fulfillment of the

Requirements for the

Degree of

MASTER OF SCIENCE

UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES

December 2002

DEDICATION

To the most important people in our lives we dedicate the creation of this project.

Without their love, encouragement, and support the attainment of a dream and the creation of this would not have been possible.

Table of Contents

THESIS MANUAL APPROVAL SHEET	
DISCLAIMER STATEMENT	v
COPYRIGHT STATEMENT	
ABSTRACT	vii
DEDICATION	ix
LIST OF FIGURES	xiii
CHAPTER I. INTRODUCTION	2
Background	
Purpose of the Study	3
Hypotheses	4
Theoretical Framework	
Definitions	
Assumptions and Limitations	6
CHAPTER II. REVIEW OF LITERATURE	8
History of Virtual Reality	8
Educational Applications of Virtual Reality	11
Current and Future Applications of Virtual Reality	18
CHAPTER III. METHODOLOGY	25
Research Design and Procedures	25
Sample	25
Measurement	25

Protection of Human Rights27	'
Data Analysis	;
CHAPTER IV. STUDY FINDINGS.)
Sample, Demographics, and Data Collection)
CHAPTER V. DISSCUSSION34	
Implications	
Further Study Recommendations	
Summary	
REFERENCES 40	
Appendices	
Appendix 1: Memorandum of IRB Approval	
Appendix 2: USUHS Form 320244	•
Appendix 3: Scholarly Project: Committee Agreement Form	
Appendix 4: Scholarly Project Approval Form	
Appendix 5: Example Consent Form48	
Appendix 6: Measurement Tool	
Appendix 7: Virtual Reality in Anatomy Education Assessment Survey53	

List of Figures

Figure 1.	Demographics of the Study Group	
Figure 2.	Paired t Test Sample. 31	
Figure 3.	Comparison of Items Correct	
Figure 4.	Comparison of Percentage Correct 33	

Running head: VIRTUAL REALITY

Integrating Computerized Virtual Reality with Traditional Methods of Teaching Skull Anatomy Capt Karla Atchley, Capt Bruce Todd, Uniformed Services University

Integrating Computerized Virtual Reality with Traditional

Methods of Teaching Skull Anatomy

Chapter One - Introduction

Background

Advances in technology have dramatically altered human culture. Both in the workplace and at home, new inventions and ideas improve the way we live. This is especially true in the field of medicine. Technological advances made in the past several decades have had an enormous impact on how we diagnose and treat diseases and injuries. Equally important is the continuing education of health care providers. Without continued improvement in training and education to match the parallel advances in other areas, health care providers would not be able to deliver adequate care, despite the availability of new technological tools.

One technological area that holds potential value for medical education is Virtual Reality (VR). Virtual Reality employs the latest in computer technology to more consistently and effectively train health care providers, such as physicians and advanced practice nurses.

Currently, VR is being viewed as a supplement to the current teaching methods by providing a new teaching medium. VR could however prove to be extremely valuable in areas such as anatomical education, where the human body could be visualized in a three dimensional manner without use of standard cadaver dissection procedures.

The use of virtual reality technology as an adjunct to traditional anatomy teaching styles has already proved to be useful in various professions, including medical education. The benefits of VR in anatomy education may extend to advanced practice nursing programs that incorporate anatomy education as part of their curriculum. Improving the education of healthcare workers, including advanced practice nurses, may lead to improved clinical, diagnostic, and examination skills and ultimately lead to a higher quality of patient care.

Purpose of the Study

The purpose of this study was to assess the benefits of using virtual realty as an adjunct to traditional methods of teaching in anatomy education. The study measured whether or not an individual can acquire a better understanding of anatomical structures by being exposed to a "virtual" learning environment presented in a VR teaching

lesson. The VR lesson involved the identification of various bones of the human skull, spatial relationships of the bones and brain, and select clinical presentations.

The effectiveness of the skull VR lesson was measured utilizing a specifically designed pre and post-test. The pre-test was administered to the study participants prior to receiving the skull VR lesson. After each participant had equal time experiencing the VR lesson, the post-test was administered and the results of the test were analyzed for statistical relevance.

Hypothesis

The hypothesis for this study was that virtual reality could effectively increase the level of knowledge about anatomical structures, specifically the structure of the human skull.

Theoretical Framework

Utilizing the Educational Evaluation Research Model

(EERM) developed by Holzemer in 1988, this study evaluated
the effects of the VR teaching lesson. The EERM model was
developed to allow researchers to better evaluate
educational applications by comparing key elements of
curriculum development and system theory. By applying the

framework proposed in Holzmer's model this study attempted to link the outcome of the skull VR lesson to relevant theoretical knowledge. By comparing the outcome of both the pre and post-tests a conclusion might be generated of whether or not computerized virtual reality lesson about the human skull is an effective tool in anatomy education. The simulator experience was also evaluated by a Likert scale evaluation in conjunction with open ended questions to capture to participants appraisal of their individual experiences.

Definitions

Conceptual variables of this study included the process of identifying the effectiveness of this computerized virtual reality anatomy lesson of the skull. The effectiveness of this study's variables' was measured utilizing pre and post-tests to determine how much was learned by the participants taking part in the study.

Operational variables for this study included the delivery of a computerized virtual reality lesson about the skull presented at an individual computer console equipped with VR technology. This virtual reality lesson utilized the Human VisualizeR computer program displayed at a computer console equipped with VR instruments such as data

gloves, goggles, etc.... The sample group for this study consisted of first year graduate nursing students enrolled at the Uniformed Services University (USU) in Bethesda, Maryland. The VR lesson for the skull was developed at the University of California in San Diego, California with USU faculty. Appropriate pre and post-tests were developed based upon the information presented in the VR lesson. The Likert scale evaluation as well as open ended questions were utilized to evaluate each participants opinion of their experience.

Assumptions and Limitations

A major assumption of this study was that VR could be utilized as an effective teaching tool in anatomy education. Other assumptions of this study included the idea that the pre and post-tests administered to each of the study participants would be a valid measure of the level of knowledge gained from the VR lesson and that the sample size of subjects in the study was large enough to draw an accurate conclusion about a larger population.

The limitations of this study were the overall effectiveness of the VR lesson, the validity and effectiveness of the pre and post-test given to the study participants. An additional limitation was that the

requirment for successful delivering the VR lesson relied heavily on a working interface between the study participant and the VR equipped computer. Problems such as software or hardware malfunctions could have limited the effectiveness of the VR lesson; thus having a negative impact on the results of the post-test and/or the study questionnaire.

Limitations relating to the pre and post-tests could arise if the tests do not correspond well with the information presented in the skull. Questions on either the pre or post-tests could have been viewed as being too difficult or too simple in relation to the data presented in the VR lesson.

The final possible limitation of this study could have been related to the sample population. The participants of this study consisted of a convenience sample of USU students. A more representative sample could have included students from other universities, non-military students, and / or students with non-medical education backgrounds. The assessment survey could have been presented in a leading manner, perhaps rephrasing some of the open ended questions could have resulted in different findings.

Chapter Two - Review of Literature

History of Virtual Reality

Throughout history, humans have attempted to enhance their environment either for artistic purpose or to facilitate the passage of knowledge (Olsen, 1997). Early in man's history stories were told around communal fires to entertain the listener and create a "picture" in his mind. Eventually, mankind evolved socially and created other means of communication through paintings and sculptures.

Continued advancement in technology led to the discovery of black and white photography in the early 1800's. Once again humans strove to improve on this technology leading to the development of color pictures and eventually movies.

In the 1940's the first computers were developed. These computers were simple "black boxes" constructed of numerous gears and were used to perform only the most basic mathematical calculations. Unfortunately, these computers were slow at processing information and required a considerable amount manual input. During the 1950's, continued advancements in technology gave way to the creation of computers with vacuum tubes. These proved to

be faster and more accurate, requiring less manual labor than their predecessors. However, the problem with this type of computer was the huge amount of space necessary to house it and the enormous amount of electricity required to run it (Olsen, 1997).

According to Olsen (1997), one definition that has been used to describe 'virtual reality' is the creation of computer graphics to form an illusionary reality. It was not until the late 1950's that a recognizable form of this "illusionary reality" began to evolve. The United States Navy pioneered the development of VR by creating flight simulators. Through the use of video cameras and computers, they would circumnavigate over scaled models of landscape and project these captured images onto a screen located in front of the pilot.

Later in 1960, Morton Helig utilized this knowledge and created what could be called the first true virtual reality machine. By combining a binocular viewing screen with a motorcycle, fan, stereo headphones, and olfactory sensations, Helig constructed what he called the 'sensorama' (Olsen, 1997).

Technology continued to progress over the next few years providing innovations such as the World Wide Web, heads up displays, and three dimensional goggles. While

all of the aforementioned devices were important in producing and controlling VR, the most significant advancement came with the invention of the "data glove" by Thomas Zimmerman in 1980 (Olsen, 1997). The data glove is a device that allows the user to grasp an item in a virtual environment without the use of a keyboard or mouse, while providing a tactile or "feeling" feedback to the wearer.

It is this capability to control the virtual environment in a method that is familiar in the real world that has truly improved the value and experience of VR.

Now instead of just watching a movie or an object on the computer screen, individuals may enter into a virtual environment (VE) and explore it while using "visual, aural, and haptic (touching) senses" (Hoffmann and Vu, 1997).

One of the more recent creations that was used in this study is a software package called Anatomic VisualizeR.

This program "provides a virtual dissection room in which students and faculty can directly interact with three dimensional (3D) models and concurrently access supporting curricular materials" (Rigamonti, Bryant, Bustos, Moore, and Hoffman, 1998).

The Anatomic VisualizeR is a software package designed specifically for the purpose of teaching anatomy. Features of this program include the ability to display information

such as magnetic resonance imaging (MRI's), computerized topography scans (CT scans), pathology images, surgical videos, study guides, and lesson plans onto a screen. It also allows for the instructor to build descriptive text and virtual exams into the learning models and have them presented in an organized and progressive manner. This allows for key concepts that require an understanding of 3D structures and their spatial relationships to be enhanced.

Finally, to make this program even more effective to the learner, the creator's have incorporated valuable tools such as the ability to "change opacity or size, dynamically create cross sectional views using a clipping plane, measure size and distance with a virtual ruler, mark structures with a flag, identify structures using a probe, and draw lines and simple objects using a SpaceDraw tool" (Rigamonti, et al, 1998). It is the premise of this study that this type of program may enhance and improve the learning experience.

Educational Applications of Virtual Reality

As educators continue to search for more effective ways to teach students, methods of education continue to change. Throughout the last decade, VR has been explored by the educator as a tool to enhance student learning

abilities. Different uses of VR in the medical field such as a measure of nursing students' decision-making skills and assessment of stoma care in continuing education have already been done (Koyama, Holzemer, Kaharu and Watanave, 1996). The primary aspect has involved the use of VR in situations where medical personnel are attempting to perfect a skill that will be utilized in situations when the comfort of the patient is to be considered as well as protecting the patient from the jeopardy of injury or death. The learned skill of the provider is often needed in times of high stress and many times the provider cannot simply stop and wait for the help of someone more experienced.

VR has been used in the operating room to improve skill of both the surgeon and the anesthesia provider. The goal of VR is also to prepare providers in a manner that will enable them to provide emergency care. VR allows the provider to simulate emergency procedures on VR trauma casualty victims, thus leading to a better outcome. These trauma cases often do not present themselves to all providers on a regular basis, but when they do, the provide needs to feel confident in their ability to provide outstanding medical care without hesitation.

Military medical personnel face yet another challenge since they can be called at a moments notice to go into a battlefield situation. Providers typically lack the opportunity to utilize skills of trauma management, as well as caring for the typical wartime casualty in our present peacetime situations (Willy, Sterk, Schwarz and Gerngross, Willy, Will 1998). The use of VR to create wartime situations can eliminate this disadvantage.

VR can also provide an evaluative measurement of student comprehension. The educators who are responsible for imparting the basic knowledge will take a real interest in a measuring tool that will allow them to know how they are meeting their students' needs. Furthermore, not only does VR allow the educator to evaluate the learner, but their own individual method of teaching as well.

It is well known that the optimal learning environment can vary according to individual students. Students may prefer the visual learning method, but then others benefit from auditory reinforcement and yet others may benefit most with the use of psychomotor skills. VR provides multiple alternatives to best suit the student's current needs. VR provides a consistent anatomical environment that allows the student to access clinically related topics and scenarios, such as surgery and pathophysiology to specific

anatomy. Computer assisted anatomical learning has been implemented on an individual basis and in a classroom setting. VR is also proving advantageous for military "mission rehearsals" (Satava and Jones, 1997). Using multiple senses to enhance the learning experience provides a comprehension of the material that best prepares students in these highly detailed, complex fields where mistakes can be made while learning and avoided at all cost in actual scenarios.

VR has the ability to be a valuable supplement to classroom lectures in a manner in which students and instructors benefit. The student's need for continual feedback during dissection is not a realistic goal during an anatomy course. This could now be a problem of the past. Through the availability of 3D dissection, students would have their own instructor in the form of computer feedback. In addition, virtual dissection will eliminate the inconsistencies of individual human cadavers. Medical professionals would have the opportunity to recognize the normal anatomy before they confront randomly discovered abnormalities.

Many medical schools currently use slices of frozen cadavers that are cut by band saws and then encased in Lucite for gross anatomy practical exam material. These

slices are limited to anatomical identification in a 2D setting. VR not only provides a 3D element but can also provide avenues to integrate these slices to other relevant medical curriculum such as radiography.

VR is an educational tool with broad applications. "VR-based procedural and surgical simulations, often compared with flight simulators in aviation, hold significant promise for revolutionizing medical training" (Hoffman and Dzung, 1997, p. 1076). These new systems promise to make broad-based training experiences available for students at all levels, without the risks and ethical concerns typically associated with using animal and human subjects. Medical students could acquire proficiency and gain confidence in their ability to perform a wide variety of techniques long before they need to use them clinically. Surgical residents could rehearse and refine operative procedures using an unlimited pool of virtual patients (Hoffman, 1997). It is easy to imagine the current and potential benefit of VR in the surgical field. With the increased use of endoscopic surgery for various illness or injury, providing quicker recovery and shorter hospital stay, these surgical skills will be coveted.

Anesthesia curricula are now utilizing computerassisted instruction (CAI), according to a survey completed by Burnette et al in 1997. CAI is used by 18% (n=78) of nurse anesthesia programs, with many more planning to incorporate this teaching technique. In the summer of 2000 the Uniformed Services University Nurse Anesthesia program first utilized VR in the classroom setting. VR was used in assisting the 3D visualization of the lungs, skull, inner ear and innervation of the heart. Using the VisualizeR software the instructor was able to manipulate the structure moving it in all directions, make surface structures transparent and pull out organs for closer examination.

Other applications for VR include training for the military battlefield, combat casualty care, and civilian disaster management. "The power of using 'mission rehearsal' for military combat in a VR environment was proven by the training that resulted in the overwhelming success of the Gulf War" (Satava and Jones, 1997, p. 139).

The opportunity for many individuals to occupy the same VR environment allows for interactive networking. This integrated scenario offers something that is impossible today-the ability to locate, triage, and evacuate a casualty in a single continuous simulation. This allows various participants to interact during the mission rehearsal. This would eliminate the expense of field

exercises, the wounding of animals, or the mobilization of ambulances and helicopters. Also, the training can be repeated until perfected (Satava and Jones, 1997). "The sense of touch, force feedback ... will be able to provide a wound that a medic can observe, touch, use surgical instruments to debride, control hemorrhage, and bandage" (Satava and Jones, 1997, p. 141). VR can also provide damaged organs that must be operated.

"The realism of simulation is related directly to the multiple senses incorporated into the simulation. The visual and auditory inputs are relatively sophisticated; however, the sense of touch is still primitive. The senses of olfaction and taste have not been implemented as yet. The importance of olfaction to the sense of realism is still unknown" (Satava and Jones, 1997, p. 143).

The design of VR provides learning avenues that can be consistent and repetitive. This allows the individual student or instructor to create an environment that is best suited for the situation. VR may also provide clinical correlations at the touch of a computer button. The field of VR is broader than first expected. VR is currently utilized the most in surgery, anatomy, and military "mission rehearsal". Use of the senses promises to provide

further realism to optimize the students learning experience.

Current and Future Applications of Virtual Reality

In the 21st century, VR will play an important and significant role in the realm of medical education. VR provides a risk free tool for assisting students as they maneuver through the myriad of systems and structures of human anatomy. The global implications of VR are expanding with the use of the Internet. A 3-D image can transcend the linguistic-descriptive barriers that currently plague clinicians and scientists in their comparative research. Students can benefit exponentially as databases have Web linkage capabilities. The use of VR seems to be limited only by one's imagination and the speed and development of user-friendly computer systems. Some of the current and future areas of most interest discussed by a myriad of articles include surgical simulation, anatomy instruction, anatomy testing, exposure to anatomical variations, animation of body and organ kinetics and World Wide Web access.

Fascinating new developments in VR include what is called "immersive" VR (Hoffman, 1997). This type of VR creates a sense of "cognitive presence" by providing users with a stereoscopic visual display that changes in response to head and eye movements. The equipment for this type of VR includes a helmet like display, position-tracking equipment and specially designed movement gloves. This newer type of VR is in stark contrast to "non-immersive" VR (Hoffman, 1997). In the latter, the user views a computer screen and manipulates the program using a mouse or joystick. Immersive VR is potentially more beneficial as a learning tool than non-immersive VR in that it allows the user to physically manipulate the environment while integrating depth and spatial dimensions. "...VR can be used to create knowledge-building experiences that facilitate the comprehension of 3-D subjects e.g. anatomy" (Hoffman, 1997, p. 1077).

An example of immersive VR is the Anatomic VisualizeR.

Currently the Anatomic VisualizeR is being further

developed by the University of California at San Diego

(UCSD) to provide an immersive VR workspace where users are

"free" to dissect 3D internal structures. The program also

allows for access to supporting explanatory models,

diagnostic images and surgical videos, and is currently

being used in conjunction with UCSD's pre-clinical anatomy

curriculum.

One of the most important new applications of VR is called the Visible Human Project of the National Library of Medicine (Bean, 2000). This program provides the most detailed database for 3-D male and female anatomies in existence. In the future, other human anatomical variation databases will be added such as children and subjects of various ages with congenital anomalies. Using this new 3-D model, students will be able to repeatedly dissect different areas of the body as well as surgically correct displayed problems. It will be possible to manipulate the size of a particular organ in order to improve visualization of minute structures or even view its histology. VR based programs "will allow users to investigate structures in ways not possible in the real world" (Bean, 1998).

VR development is not restricted to the United States alone. In Sweden, at The Goteborg University, a new virtual 3-D brain application has been developed. Using tissue slicing from high-resolution photographs, a PC friendly, simplified VR system has been created to facilitate visualization of brain concepts for the University's neuroanatomy curriculum (Hoffman, 1997).

At Columbia University, designers are working on a way to integrate a system that further aids the user in the

comprehension of anatomical structures and abstract biosystems. The proposed program is referred to as the Symbolic and Spatial Knowledge Model (Bean, 1998). This particular program provides links to a global network. This system has a "modular knowledge base of anatomy, capable of accommodating different perspectives of the content and of providing linkages within and among both local and global resources" (Bean, 2000). The program, while complete and independent, can easily incorporate and integrate other sites. This linkage will be possible via Web-based interfaces on the Internet. This innovative program will combine different perspectives of anatomy with respect to curriculum.

It has also been noted that different aspects of the medical sciences require a program that can differ in the directive of the application. "For example, clinical anatomy traditionally uses a regional perspective while the basic sciences require one more oriented toward functional systems" (Bean, 2000). The format of the program employs a collection of 3D surface-based anatomical structures displayed by a 3D box.

Each scene contains a subset of anatomical structures whose spatial locations intersect the scene box. The user can then dissect the various layers of these anatomical

subsets or examine them as a complete entity. The parameters of this program are exceptionally broad based in that it not only provides the learning advantages of a 3D model, but it can also integrate other outside web linkages, giving the user a more complete system than the traditional VR. One can also infer that, because of its Internet capabilities, this program provides an optimal avenue for easy technological reprogramming in the constant changing world of medicine.

The preceding is noteworthy in that one of the fundamental criticisms of VR is that the replacement of expensive VR systems in response to technological updates was not cost effective for teaching facilities.

Researchers at University of Washington in Seattle are working on a program similar to the Symbolic and Spatial Knowledge Model. The Seattle system is known as the Digital Anatomist Dynamic Scene Generator (DADSG) (Brinkley, 2000). This project also seeks to find a way to integrate the print library of human anatomy with a Web-based structural anatomical image library into one unified teaching program. The authors feel that prior attempts towards this unification were flawed in that they did not provide "a comprehensive symbolic knowledge base of

anatomical terms and relationships that gave meaning to the images" (Brinkley, 2000).

Previous programs also failed in that the datasets were unsuccessful in associating each extracted structure with a name from the knowledge base. The directive of the Web based DADSG is to render the images on the Digital Anatomist Foundation Model (DAFM), a comprehensive VR library, onto a fast server. The transported 3D pictures are then sent to a Web browser where the user can navigate and manipulate the various scenes. The authors feel that this program has the potential for many future Internet implications. "Other Web-based applications include structure-based visual access to non-image based biomedical information, thereby bringing us a step closer to the long-term goals of the Visible Human Project" (Brinkley, 2000).

There is an abundance of literature delineating the current and future uses of VR in the medical environment. However, no literature was found regarding comparison studies of traditional medical instructional techniques such as the use of lectures, texts, and dissection to instruction utilizing VR.

Previous literature has categorized the various uses and applications for VR. However, as with all technology today the rapid advancement of new VR based technologies

necessitates coinciding studies that demonstrate the practical applications of these programs (i.e. teaching). We hope to systematically compare this VR format with currently used traditional methods in order to identify the appropriate role in anatomy education.

imagine the possibilities that lie ahead in the future of

With these exciting developments in VR, one can only

clinical training. A change from the time-consuming reference library and cadaver lab to an interactive comprehensive VR system is a necessary technological progression. The visual/tactile capacities of VR may not only provide a more effective method of learning for the student but also allow for risk-free digital human forms for a student to dissect, manipulate and repair as many times as necessary. With the plethora of new biotechnologies and surgical methods, a unified accessible world based system is necessitated. VR bridges the information gap that these various idioms present. As VR continues to streamline, the program directives to encompass abstract systems and global Web links, all medical related fields have the potential to be better trained and more knowledgeable than their predecessors

were.

Chapter Three - Methodology

Research Design and Procedures

The purpose of this study was to assess the effectiveness of VR to improve anatomical education by acting as a supplement to traditional teaching methods. The study used a descriptive evaluative design. A pre-test and post-test was administered to examine the efficacy of VR as a means of refreshing previously learned anatomical structures and clinical concepts of the skull.

The sample population consisted of first-year graduate nursing students attending the Uniformed Services University (USU). The class of 2002 participated in the study resulting in a total sample of 18. The total class enrollment was 27; four of the students were directly involved with data collection. With the exception of the four students conducting the study, 78% of the first year students volunteered to participate.

Measurement

Demographic data were collected on age, years of nursing experience, educational level, and gender. Participants were asked to indicate amount of computer experience, prior VR experience, level of anatomy education, and level of teaching background. Pre-tests consisted of twenty items identified as key concepts that should have been retained from the student's prior anatomical education.

One principal investigator operated the simulator to minimize the "learning curve" required with the use of the VR equipment. The other principal investigator administered the same test immediately following the VR training experience.

Pre and post-test questions were constructed by the students conducting the research and reviewed by a subject matter expert.

Participants were given an evaluation questionnaire using a Likert scale to rate their subjective viewpoint on the effectiveness of their training. The goal was to see if they believed the use of VR enhanced their ability to retain the concepts, their overall satisfaction with the simulator experience, and the quality of the lesson material.

Protection of human rights

Uniformed Services University of the Health Sciences (USUHS) Investigative Review Board (IRB) approval was obtained before data collection began. The approach to prospective students was initially through an oral presentation prior to the learning experience. This included time for the participants to familiarize themselves with the equipment and ask questions. A written description of the study including time commitment was distributed to the participants.

The principal investigators again described the purpose of the study both before obtaining informed consent and after participants had sufficient time to consider if they wished to participate. Participants were assured of their ability to not participate without fear of any kind of academic consequences. Participants were allowed to drop out of the study at any time. The time commitment required for each student was approximately two hours.

Once informed consent was obtained the participants completed a pre-test, then moved to an adjacent room for a one-hour lecture using a standardized lesson plan with use of the VR skull operated by the principal investigator. Following the lesson, they were offered a break and then

the participants completed both the post-test and satisfaction questionnaire. The process was repeated until all participants completed the research study.

Confidentiality was maintained by assigning identification numbers, which was kept separate from all data forms. Only the research team had access to the secured data.

Data Analysis

SPSS was used to perform a paired t-test comparison of the pre and post-test multiple-choice cognitive exam. The Likert scale was used to describe the satisfaction with the experience based on selective demographics.

Chapter Four- Study Findings

The purpose of this study was to assess the benefits of using virtual realty as an adjunct to traditional methods of teaching in anatomy. This chapter will include the data analysis findings for each question. Each research question is examined and the findings summarized.

Sample, Demographics and Data Collection

The sample consisted of the population of first-year graduate nursing students attending the Uniformed Services University. Volunteers in the class of 2002 participated in the study resulting in an N of 18. A convenience sample obtained as many students as possible with the exception of the four students conducting the study. The mean age of the participants was 35.38 years. The study group consisted of 13 males and 5 female participants. Eleven Family Nurse Practitioner (FNP) and seven Nurse Anesthesia (NA) residents took part in the survey. The participants averaged 8.38 years of nursing experience (Figure 1).

The entire group of eighteen participants had completed an anatomy class in their undergraduate program. In the fall semester of 2000 the GSN class had completed an Anatomy and Physiology class utilizing Virtual Reality.

Twelve of the eighteen participants felt that they learned

best by interaction, four by lab experience and two by lecture.




Figure 1: Demographics of the study group

The hypothesis for this study was that virtual reality could effectively increase the level of knowledge about anatomical structures, specifically the structures of the human skull.

SPSS was used to test the significance of the data collected. A Paired t test sample statistic compared two categories, pre/post test number correct and pre/post percentage correct. Paired sample 2-tailed t test revealed a p value of .0008 in evaluating both the number and percentage correct of the twenty items possible (Figure 2).




Figure 2: Paired t test sample


The 18 graduate students who participated in the skull Virtual Reality lesson were divided into nine groups of two students each, in order to limit distraction during the lesson and testing time. The participants completed a pre-test of twenty items followed by a Virtual Reality The Virtual Reality lesson was lesson in skull anatomy. conducted within a 45-minute timeframe and was located in a quiet learning environment. The participants were allowed ample time to review points of particular interest to them. Upon the completion of the VR skull lesson the participants completed the same twenty item multiple choice test as a post-test to analyze knowledge improvement after experiencing Virtual Reality. The number of items correct in the twenty question pre-test reflected a mean of 12.39 with a standard deviation of 1.85. The number correct in the twenty question post-test showed an improvement reflecting a mean of 16.83 with a standard deviation of

2.50 (Figure 3) The percentage score was also evaluated. This reflected a pre-test percentage of 61.94 and an increase in the post-test percentage to 84.17 (Figure 4). The results of the paired t test were t=-7.607 and p=0.000, With a difference between the standard error means of 0.15.

In the assessment survey, the entire study group of eighteen noted that this VR experience increased their understanding of the skull anatomy in conjunction with the clinical implications discussed during the VR experience. Ten of the group strongly agreed that they preferred to learn the material in a lecture hall with the VR, six agreed and two were undecided. The last question asked if they would prefer to learn this material in a lecture hall with a conventional didactic lecture. Three strongly agreed, two agreed, four undecided, four disagreed and five strongly disagreed. The spread of results on this question makes it difficult to be sure the question was worded correctly.

The open-ended questions resulted in a primary theme of the most liked aspect of the study was the 3-D visual impact with the ability to take the skull apart for greater understanding of the anatomy. The least liked aspect of the study was that the participants were not able to physically

manipulate the VR image themselves with the haptic gloves and the fact that the X-rays and MRI's were not



incorporated into the VR program.

Figure 3: Comparison of items correct




Figure 4: Comparison of percentage correct

Chapter Five- Discussion

The purpose of this study was to assess the benefits of using a virtual reality (VR) simulator for teaching and improving competency in anatomy education.

Virtual Reality evolved as computer graphics in the late 1950's and became recognized as "illusionary reality" (Olson, 1997). Initially, virtual reality was limited to visual interaction. With advancement in technology, the use of VR includes the ability of individuals to enter into a virtual environment and explore it while using "visual, aural, and haptic (touching) senses" (Hoffman and Vu, 1997).

Virtual reality has been used in a variety of educational, training, and entertainment settings. The highly visual and interactive nature of VR has proven to be useful in understanding complex 3D structures and for training in visuospatial tasks (Gorman, Meier and Krummel, 1999).

Currently, virtual reality training simulators offer a more realistic model of common medical procedures such as surgical procedures and dissection, regional anesthesia, endoscopic sinus surgery and training for emergency medical personnel. The potential for training with VR is great,

what was once used for recreation in the past could become a the method of education in the future.

Many studies were found recognizing the benefits of using VR in education. However, literature regarding the comparison of studies between traditional anatomy instruction alone to traditional anatomy instruction with VR was not found at this time in the literature.

Anatomic VisualizeR levels the playing field by giving each student, regardless of individual differences, the same opportunity to maximize his or her anatomic learning experience at his or her own pace and convenience (Rigamonti, Bryant, Bustos, Moore, and Hoffman, 1998).

Using the Anatomic VisualizeR, students are able to disassemble and reconstruct spatial anatomic relationships while participating actively in the virtual learning environment.

Implications

This study measured whether or not an individual can acquire a better understanding of anatomical structures by being exposed to a "virtual" learning environment presented in a VR teaching lesson.

VR simulations will become an increasingly important skill with the current trend toward computer-based learning. Students will need to become comfortable

interacting with computer learning modules as adjuncts to classroom lessons.

The availability of web-based anatomy will be an asset to providers who are unable to ask advice from their colleagues as well as providers who are in training. This study was completed as a supplement to education acquired in the anatomy laboratory.

This type of VR learning will also be beneficial to those who have graduated and left the cadaver lab at the university. The person who finds him or herself removed from their colleagues can potentially utilize a program such as VR from anywhere in the world to explore and reexamine the human anatomy at a time that is convenient to their need. The ability to dissect the VR image in layers without destroying the anatomy, to remove and replace parts of the image will clarify the correct anatomical location of individual parts of the body. This field of study is not limited to the skull and will expand as advancements are made in the study of VR.

In comparing the outcomes of both the pre and post-tests .

a conclusion was shown that computerized virtual reality lessons regarding the human skull was an effective tool in anatomy education. The results identified a pre to post

score improvement when Virtual Reality was utilized as a teaching method.

Further Study Recommendations

Further study of Virtual Reality as a direct comparison to an identical lesson taught in the classroom setting would identify stronger comparisons relating to the ease of duplication.

The ability to generate a Virtual Reality that is more user friendly for first time users is in the hands of the computer programmers skilled in this area. This would enable the students to manipulate the haptic glove themselves instead of a receiving a guided tour by the instructor.

The advancement of preplanned lessons and the equipment improvements will be an asset to future lessons.

Comparison of traditional lessons in conjunction with VR lessons to a traditional lecture lesson is a new avenue of study and will require more studies to come to a conclusion. This study group had received a traditional lesson with the adjunct of VR. Further studies comparing two study groups receiving the same traditional lesson, and then later provide VR as an adjunct for part of the group would actually contrast the comparison finding more accurately.

Summary

In summary, this research evaluated the use of VR as an adjunct to traditional teaching methods. The study participants received the traditional lesson including cadaver laboratory in the summer. The following spring the study group participated in this research project.

There were 18 participants in the study. In addition to the numerical test scoring, demographic questionnaires were obtained at the time of participation. The primary finding was that learning with the use of Virtual Reality was preferred to learning the identical anatomy lesson in the traditional classroom setting.

The use of VR in many settings has been studied but the foundation is now being laid in teaching human anatomy with the use of VR. The future is bright in this direction with the current trend in electronics and the increasing ease to access and manipulate the programs from distant locations. The use of Virtual Reality will enhance the study of many topics including anatomy education.

Time Line following proposal approval

Tas	<u>k</u>	1	2	3	4	<u>Mo</u>	<u>nth</u> 6	7	8	9	10	11	12
1.	Obtain IRB approval	Х											
2.	Collect Data		XX		٧,								
3.	Enter data into computer		X	XXX	X								
4.	Analyze Data		•		XX	XXX							
5.	Prepare draft repo	rt					XXX	XX					
6.	Obtain Committee R	evi	.ew						XXX				
7.	Prepare final draf	t	•	•						XX	X		
8.	Make presentation							XX	X				
9.	Make revisions as	nee	ded						XXX				
10.	Obtain signatures of committee members	ers	I								XX		
11.	Submit Thesis											Σ	XXX

References

Bean, C. (2000). <u>Symbolic and Spatial Knowledge</u>

<u>Model.</u> Paper presented at the Second Visible Human

Conference, Bethesda, MD. [On-line]. Available:

www.nlm.nig.gov/research/visible/vhp_conf/bean/index/htm

Brinkley, J. F., Albright, E., M., Kim, S., Mejino,
L., V., Shapiro, L., G., Rosse, C. (2000). Visible Human,

Construct Thyself: The Digital Anatomist Dynamic Scene

Generator. Paper presented at the third Visible Human

Conference, Bethesda, MD.

Burnette, A., Sylvia, B., Purdhan, R., & Rigamonti, D. (1997). Instructional methods for human anatomy and cell biology in nurse anesthesia graduate programs: A survey with a focus on regional anesthesia. AANA Journal, 65, 482.

Chui, C., Nguyen, H. T., Mullick, R., & Raghavan, R. (1998). Potential Field of Vascular Anatomy for Realtime Computation of Catheter Navigation. Paper presented at the Second Visible Human Conference, Bethesda, MD.

Gorman, P., Meier, A., Krummel, T. (1999). Simulation and Virtual Reality in Surgical Education. <u>Archives of</u>
Surgery, 134(11), 1203-1208.

Hoffman, H., Bryant, H., Bustos, O., Smirniotopoulos, J., Moore, L., & Rigamonti, D. (1999). Implementing Anatomic VisualizeR Learning Modules in Anatomy Education. (Ed.), pp. 15-16).

Hoffman, H., Vu, D. (1997). Virtual Reality: Teaching Tool of the Twenty-first Century? Academic Medicine, 72(12), 1076-1081.

Hoffman, H., Irwin, A., Prayaga, R., Danks, M., Murray, M. (1996). Virtual Anatomy from the Visible Man: Creating Tools for Medical Education. First Visible Human Project Conference, Bethesda MD.

Imeleinska, C., Bean, C. (1998). The Vesalius Project: Visualization of Lungs and Bronchial Tree Anatomy Lesson. Paper presented at the Second Visible Human Conference, Bethesda, MD.

McEnery, K., W., Kelley, L., Kelly, E. A., Dowton, S. (1998). World Wide Web Viewing and Distribution of В. Visible Human Images. Paper presented at the Second Visible Human Conference, Bethesda, MD.

Olsen, D. C. (1997). Epidural anesthesia: New computer technology used to enhance the teaching of a common anesthetic procedure. Master's thesis, Uniformed University of Health Science, Bethesda, Maryland.

Pimentel, K., Teixeria, K. (1993). <u>Virtual Reality:</u>

<u>Through the New Looking Glass.</u> New York: McGraw-Hill.

Rigamonti, D., Bryant, H., Bustos, O., Moore, L.,
Hoffman, H. (2000). <u>Implementing Anatomic VisualizeR</u>

<u>Learning Modules in Anatomy Education</u>. Paper presented at the Second Visible Human Conference, Bethesda, MD.

Satava, R., and Jones, S. (1997). Virtual Environments for Medical Training and Education. Presence: Teleoperators & Virtual Environments, 6, 139.

Weghorst, S., Airola, C., and Oppenheimer, P., (1998).

Validation of the Madigan EES simulator. Studies in Health

Technology and Informatics, 50, 399-405.

Willy, C., Sterk, J., Schwarz, W., and Gerngross, H. (1998). Computer-Assisted Training Program for Simulation of Triage Resuscitation, and Evacuation of Casualties.

Military Medicine, 163, 234-238.

UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES

4301 JONES BRIDGE ROAD BETHESDA, MARYLAND 20814-4799



April 19, 2001

MEMORANDUM FOR CAPTS KARLA ATCHLEY & BRUCE TODD, GRADUATE SCHOOL OF NURSING

SUBJECT: IRB Approval of Protocol T061CJ-01 For Human Subject Use

Your research protocol entitled "Integrating Computerized Virtual Reality with Traditional Methods of Teaching Skull Anatomy" was reviewed and approved for execution on 4/19/2001 as an exempt human research study under the provisions of 32 CFR 219.101(2)(b)(1). This approval will be reported to the full IRB scheduled to meet on 17 May 2001.

The purpose of this study is to assess the benefits of using virtual reality to supplement traditional methods of teaching anatomy in an educational setting with a convenience sample of USUHS graduate nursing students. The IRB understands that this study will use the Educational Evaluation Research Model to evaluate the effects of virtual reality teaching lessons, focusing on the identification of various bones of the human skull and structures of the human respiratory tract. The IRB further understands that subjects will be administered a questionnaire as an additional outcome measure to assess the subjective effectiveness of the teaching approach. Demographic data will also be collected; and, except for signatures on the consent form, no names or other personal identifiers will not be used in any aspect of the study or on any data collection instruments..

Please notify this office of any amendments you wish to propose and of any untoward incidents, which may occur in the conduct of this project. If you have any questions regarding human volunteers, please call me at 301-295-3303.

Righard R. Levine, Ph.D.

L/TC, IAS, USA

Director, Research Programs and

Executive Secretary, IRB

cc: Director, Research Administration

USUHS FORM 3202 STUDENT and RESIDENT PHYSICIAN

RES	SEARCH PROTOCOL			
Proto	ocol No.:	<u>_</u>		
Stude	ent/Resident Investigator:	acres Toda Visita Line	(1)1	
_	· Dear an arth	Phono		
Proje Resea	ct Title: The crating Virta Sivil Brank, gazin arch Advisor: Dr Agazin	Depart	the Traditional phrasing of Te	
	Graduate Ph.D. Student	year 1 or 2 of project (Circle one)	
X	Nursing Masters Student	year 1 or 2 of project (Circle one)	
	Medical Student			
	Master or Doctorate of Public Hea	alth Student		
	Physician Assigned for Graduate I	Medical Education Project Award (billete	ed resident physician)	
100	Percent Effort for this project			
1.	Is this research project related to t If yes, enter the following informati	the advisor's active research project? _ tion about the advisor's project.	_Yes No	
	Protocol Number:	· .		
	Project Title:	· .		
	USUHS Department:			
2.	USUHS Assurance Committees - research protocol.	Identify any relationship of this project v	with the sponsoring advisor's	
(ed (including human cell lines, human ti Is containing information about humans		

- The proposed protocol is specifically covered in all relevant details by the preexisting IRB approvals of the advisor's protocol and therefore, requires no additional approvals. Attach a copy of the USUHS approval letter and, if appropriate, a copy of the approved informed
- The proposed protocol is not specifically covered in all relevant details by the preexisting approvals and a new completed Request for IRB Approval (USUHS Form 3204) is attached.
- B. If laboratory animals are involved, circle (1) or (2) below:
 - The proposed protocol is specifically covered by the preexisting LARB approvals of the advisor's protocol and therefore, requires no additional approvals. Attach a copy of the USUHS LARB approval letter.
 - The proposed protocol is not specifically covered by the preexisting approvals and will require an addendum of the existing LARB approval or a new approval. Attach a new completed USUHS Form 3206.
- The use of biohazards, controlled or dangerous materials is covered as a supervised _ Yes user by the existing BCD approval. If yes, submit user's and supervisor's names. Otherwise, attach a new completed USUHS Form 3207

		The student/resident uses radiation or radioactive news, attach the user's and supervisor's names. Oth USUHS Form 3205.	•	
3.		: (see USUHS Instruction 3200 for budget limitation and Per Diem (Specify)	ns)	
	Supplies		·	
	Small Eq	uipment (less than \$1,000 per item)		
	Other (Sp (Ma	pecify): y not include non-mission essential travel or secret	arial/administrative support)	
	• .	e e	Total: \$	
3. ba	SUMMAR' ackground, h	OF RESEARCH PLAN: (Attach thesis proposal only only only only only only only onl	r summary. The research sun ed; limit to 2 pages; 12 point	nmary should include font)
4.	The follow	ring signatures attest to the validity of the abov	e information:	. •
		Typed Name	Signature	<u>Date</u>
	Student/Re	esident Investigator:	MOZSEN) (H	104 17 April 0
	Research A	Advisor:	D. D. R. Jas	4. april 172
5.	Other Appr	rovals:	10000	Mia. M
	Departmen	t Chair:		Transport .
	<u>If: Gradu</u>	nate Student Associate Dean for Graduate Education: Michael N. Sheridan, Ph.D.		J .
	Nursir	ng <u>Student</u> Dean, Graduate School of Nursing: Faye G. Abdellah, Ed.D. Sc.D. R.N. FAAN	Jane G. a	ebelloh
	Medic	al Student Associate Dean for Student Affairs: Richard M. MacDonald, M.D.		
		Dean, School of Medicine: Val G. Hemming, M.D.		
	Physic	cian Assigned for Graduate Medical Education Associate Dean for Graduate Medical Education Howard E. Fauver, Jr., M.D.		
6.	In light of th	e above signatures, the project is approved for intr	amural funding.	
	Vice Presid	ent for Research: Michael Sheridan, Ph.D.		

SCHOLARLY PROJECT: COMMITTEE AGREEMENT FORM I agree to serve on Karla Atchiey & Bruce Todd's (Student Name(s))

Scholarly Project Committee as the Chair or a Committee Member. As a committee member, I agree to meet periodically with the student(s) to provide consultation and guidance and to see how they are progressing with their Scholarly Project. The tentative title of the Scholarly Project Proposal is <u>A Comparison of Virtual Reality and Traditional Teaching Methods.</u>

Option Chosen: Thesis, Research Project sub	mitted for Publication)
Practicum, Defined Project, # Credits 6	
D. D. Rigon A.	1.31.01
Chair	,Date ,
Osvaldo Bustos, MD	1/31/01
Member	Date
Jane V ajapo	31 Jan 01
Member "	Date
Thomas S. Kaufna	1/3/10/
Member	Date

NOTE: Student is responsible for obtaining signatures.

Return signed form to the Research Department.

SCHOLARLY PROJECT APPROVAL FORM

TITLE OF PROJECT

INTEGRATING VIRTUAL REALITY TECHNOLOGY WITH TRADITIONAL METHODS OF TEACHING

SKULL ANATOMY

Student's Full Name

Captain K. Atchley, Captain B. Todd

APPROVED: Member

APPROVED:

Faye G. Abdellah, EdD, ScD, RN, FAAN

Dean

Informed Consent Form for INTEGRATING COMPUTERIZED VIRTUAL REALITY (VR) WITH TRADITIONAL METHODS OF TEACHING SKULL ANATOMY

You are being invited to participate in a research project conducted by Karla Atchley and Bruce Todd, graduate students in the Uniformed Services University of the Health Sciences (USUHS), Department of Graduate School of Nursing, 4301 Jones Bridge Rd, Bethesda, MD 20814. This project is conducted under the direction of Dr. D. Rigamonti, Department of The Graduate School of Nursing.

You are invited to participate in a research study about evaluating virtual reality (VR) in the education of anatomy. The first purpose is to assess the effectiveness of VR to improve anatomical education by acting as a supplement to traditional teaching methods. This study will help to determine the benefit of supplementing traditional anatomy classroom education with the use of VR. A second purpose of the study is to assess satisfaction with VR instruction as a supplement to traditional instruction.

If you decide to participate, you will be asked to spend approximately two hours of time by taking a pretest, attending a one hour lesson using a skull in virtual reality, and completing a post-test and satisfaction questionnaire. We will ask you to come to the office of Dr. Leon Moore located in the basement of building C of the USUHS campus to participate in this research.

There are no potential risks associated with this study. There will be no compensation for your participation. You may not benefit directly from this study, but the information we gain will be helpful in understanding the best ways to train medical and nursing personnel in the future. However, it is our hope that you will increase your understanding of skull anatomy and clinical issues from participating but no benefits are guaranteed.

If you have decided to participate in this project, please understand that your participation is voluntary and you have the right to withdraw your consent or discontinue participation at any time. You have the right to refuse to answer any question(s) for any reason.

In addition, your individual privacy will be maintained in all published and written data resulting from this study. Names will not be collected; numbers will be assigned to packets containing the examinations and satisfaction questionnaire for data collection purposes only. Forms will be stored in a secure location

This study is being funded by a federal agency which requires that data be collected in a format that may be analyzed for differences between men and women and races or ethnic groups.

If you have questions regarding your rights as a subject, any concerns regarding this project or any dissatisfaction with any aspect of this study, you may report them — confidentially, if you wish — to the Office of Research, USUHS, 4301 Jones Bridge Rd, Bethesda, MD 20814 or by telephone to (301) 295-5134.

A signed copy of this consent form will be provided to the participant within one week.

I understand the above information and voluntarily consent to participate in the research project entitled (title of project).

Signature of Subject Date	<u> </u>
---------------------------	----------

1. H	low many bones does the cranium consist of?
	A. 6.
	B. 7.
	C. 8.
	D. 9.
	E. 10.
2. (On which vertebrae does the skull rest?
A.	Dens.
B.	Cervical vertebra 2.
C.	Axis.
D.	Cervical vertebra 3.
	Atlas.
3. \	When a patient fractures the dens in a deceleration injury, what clinical signs and symptoms can be
seen'	
Α.	Normal neurological exam.
	Quadriplegia with respirations intact.
	Paraplegia.
	Quadriplegia with respiratory support required.
	Hemiplegia.
4. V A. B. C.	Which of the following bones makes up the major portion of the posterior cranial fossa? Parietal. Occipital. Sphenoid. Temporal.
4. V A. B. C. D.	Which of the following bones makes up the major portion of the posterior cranial fossa? Parietal. Occipital. Sphenoid.
4. V A. B. C. D. E.	Which of the following bones makes up the major portion of the posterior cranial fossa? Parietal. Occipital. Sphenoid. Temporal.
A. V. A. B. C. D. E. S. A postu	Parietal. Occipital. Sphenoid. Temporal. Ethmoid. trauma patient arrives in the ED. Physical assessment reveals fixed, dilated pupils with decerebrate ring. CT scan shows cerebellar herniation. What region of the neuraxis would be most likely to harated?
A. V. A. B. C. D. E. S. A postu herni	Parietal. Occipital. Sphenoid. Temporal. Ethmoid. trauma patient arrives in the ED. Physical assessment reveals fixed, dilated pupils with decerebrate aring. CT scan shows cerebellar herniation. What region of the neuraxis would be most likely to havated? Cerebellar tonsils.
A. V. A. B. C. D. E. S. A postu herni A. B.	Parietal. Occipital. Sphenoid. Temporal. Ethmoid. trauma patient arrives in the ED. Physical assessment reveals fixed, dilated pupils with decerebrate ring. CT scan shows cerebellar herniation. What region of the neuraxis would be most likely to harated? Cerebellar tonsils. Cerebral peduncle.
A. A. B. C. D. E. S. A postu herni A. B. C.	Which of the following bones makes up the major portion of the posterior cranial fossa? Parietal. Occipital. Sphenoid. Temporal. Ethmoid. trauma patient arrives in the ED. Physical assessment reveals fixed, dilated pupils with decerebratering. CT scan shows cerebellar herniation. What region of the neuraxis would be most likely to havated? Cerebellar tonsils. Cerebral peduncle. Superior colliculus.
A. A. B. C. D. E. S. A postu A. B. C. D. D. C. D. D. C. D. D. C. D.	Which of the following bones makes up the major portion of the posterior cranial fossa? Parietal. Occipital. Sphenoid. Temporal. Ethmoid. trauma patient arrives in the ED. Physical assessment reveals fixed, dilated pupils with decerebrating. CT scan shows cerebellar herniation. What region of the neuraxis would be most likely to ha ated? Cerebellar tonsils. Cerebral peduncle. Superior colliculus. Medulla.
A. A. B. C. D. E. A. B. C. D. E. C. D. E. E. C. D. E.	Parietal. Occipital. Sphenoid. Temporal. Ethmoid. trauma patient arrives in the ED. Physical assessment reveals fixed, dilated pupils with decerebratering. CT scan shows cerebellar herniation. What region of the neuraxis would be most likely to havated? Cerebellar tonsils. Cerebral peduncle. Superior colliculus. Medulla. Midbrain.
A. V. A. B. C. D. E. S. A. B. C. D. E. C. C. D. E. C. C. D. E. C. C. D. E. C.	Parietal. Occipital. Sphenoid. Temporal. Ethmoid. trauma patient arrives in the ED. Physical assessment reveals fixed, dilated pupils with decerebratering. CT scan shows cerebellar herniation. What region of the neuraxis would be most likely to havated? Cerebellar tonsils. Cerebral peduncle. Superior colliculus. Medulla. Midbrain. ow many cranial nerve pairs exit the posterior cranial fossa?
A. A. B. C. D. E. S. A. B. C. D. E. C. D. E. A. B. C. D. E. A. A. A. A. A.	Parietal. Occipital. Sphenoid. Temporal. Ethmoid. trauma patient arrives in the ED. Physical assessment reveals fixed, dilated pupils with decerebratering. CT scan shows cerebellar herniation. What region of the neuraxis would be most likely to harated? Cerebellar tonsils. Cerebral peduncle. Superior colliculus. Medulla. Midbrain. ow many cranial nerve pairs exit the posterior cranial fossa? 3.
4. V A. B. C. D. E. 5. A postuherni A. B. C. D. E. 6. He	Parietal. Occipital. Sphenoid. Temporal. Ethmoid. trauma patient arrives in the ED. Physical assessment reveals fixed, dilated pupils with decerebratering. CT scan shows cerebellar herniation. What region of the neuraxis would be most likely to harated? Cerebellar tonsils. Cerebral peduncle. Superior colliculus. Medulla. Midbrain. ow many cranial nerve pairs exit the posterior cranial fossa? 3. 4.
A. A. B. C. D. E. S. A. B. C. D. E. C. D. E. A. B. C. D. E. A. A. A. A. A.	Parietal. Occipital. Sphenoid. Temporal. Ethmoid. trauma patient arrives in the ED. Physical assessment reveals fixed, dilated pupils with decerebratering. CT scan shows cerebellar herniation. What region of the neuraxis would be most likely to havated? Cerebellar tonsils. Cerebral peduncle. Superior colliculus. Medulla. Midbrain. ow many cranial nerve pairs exit the posterior cranial fossa? 3. 4.
4. V A. B. C. D. E. 5. A postuherni A. B. C. D. E. 6. He	Parietal. Occipital. Sphenoid. Temporal. Ethmoid. trauma patient arrives in the ED. Physical assessment reveals fixed, dilated pupils with decerebratering. CT scan shows cerebellar herniation. What region of the neuraxis would be most likely to harated? Cerebellar tonsils. Cerebral peduncle. Superior colliculus. Medulla. Midbrain. ow many cranial nerve pairs exit the posterior cranial fossa? 3. 4. 5. 6.

7. If a basil clinical fin	lar skull fracture that goes through the right hypoglossal canal, what would be the most likely ding?
A	Uvula deviation to the left.
В.	Tongue deviation to the right.
	Uvula deviation to the right.
	Tongue deviation to the left.
E.	Inability to say "ah".
	ne following are part of the posterior cranial fossa, EXCEPT:
	Foramen magnum.
	Jugular foramen.
	Optic canal.
	Cerebellar fossa.
E.	Facial canal.
9. The clin artery is:	rical landmark on the surface of the skull that overlies the bony groove for the middle meningea
A.	Mastoid process.
	Mental foramen.
C.	Coronoid process.
	Pterion.
E.	Bregma.
	we a concern about a bone fragment lodged near the pterion. This is a significant area for morrhages because the is located immediately underneath the pterion.
A.	Facial artery
	Supratrochlear vein
	Middle meningeal artery
	Angular artery
E.	External jugular vein
11. If you s EXCEPT:	uspect a cerebellar tumor you might expect to find all of the following signs and symptoms,
A.	Abnormal gait.
В.	Inability to perform rapid alternating movements.
	Inability to alternately touch examiner's fingertip.
	Euphoria.
E.	Abnormal posture.
	provider you are expected to complete a physical exam that will evaluate cerebellar functions. a would you perform?
A.	Romberg's test.
B.	Trousseau's test.
	Sticking the tongue out in the midline.
	Sensory deficit.
E.	Lhermitte's sign.

- 13. A space-occupying lesion of the posterior fossa, such as a hemorrhage, abscess, or tumor of the cerebellum may push the cerebellar tonsils downward into the:
 - A. Jugular foramen.
 - B. Hypoglossal canal.
 - C. Straight sinus.
 - D. Foramen magnum.
 - E. Sella turcica.
- 14. All of the following would be expected findings in a patient with a herniation of the cerebellar tonsils, EXCEPT:
 - A. Unequal or fixed pupils.
 - B. Inability to look up.
 - C. Deepening stupor.
 - D. Irregularly-irregular breathing pattern.
 - E. Impaired hearing.
- 15. An acoustic neurinoma (vestibular schwannoma) originates from the superior vestibular division of the eighth cranial nerve in the:
 - A. External auditory canal.
 - B. Lateral to the pituitary gland.
 - C. Internal auditory canal.
 - D. Medulla oblongata.
 - E. Greater wing of the sphenoid bone.
- 16. Which of the following clinical signs and symptoms is consistent with a suspected acoustic neurinoma (vestibular schwannoma)?
 - A. Conductive hearing loss.
 - B. Impacted ear wax.
 - C. Vertigo.
 - D. Constricted pupils.
 - E. Seizures.
- 17. A patient suffering from the "locked-in" syndrome would exhibit which of the following findings?
 - A. Quadriplegia.
 - B. Aphonia.
 - C. Vertical gaze.
 - D. Ability to blink.
 - E. All of the above.
- 18. A patient presenting with Wallenberg's Syndrome will exhibit which of the following signs?
 - A. Loss of pain and temperature sensation in the ipsilateral face and contralateral half of the body.
 - B. Nystagmus.
 - C. Ipsilateral loss of the gag reflex.
 - D. Ataxia.
 - E. All of the above.

- 19. A posterior fossa tumor (particularly in the area of the foramen magnum) can be identified by?
 - A. Difficulty turning the head to the opposite side.
 - B. Inability to raise the head from the supine position.
 - C. Hanging shoulder.
 - D. Difficulty raising the arm laterally greater than 90 degrees.
 - E. All of the above.
- 20. Which of the clinical finding is associated with hydrocephalus in an adult?
 - A. Hyperreflexic response to DTR's.
 - B. Edema of the optic disks.
 - C. Exophthalmos.
 - D. Euphoria.
 - E. None of the above.

Virtual reality in Anatomy Education Assessment Survey

This is a checklist concerning you and your feelings toward the Virtual Reality experience you've just had. Please either fill in the blank or mark the appropriate box as applicable. There are no right or wrong answers and your answers will be kept confidential.

Demographics							
Age Sex M/F (circle one) Class FNP/NA (circle one)							
Years nursing experience Educational level							
Have you had prior virtual reality experience related to clinical anatomy? Yes / No (circle one)							
Have you had Anatomy prior to coming to USU? Yes / No (circle one)							
Have you had any teaching experience related to anatomy? Yes / No (circle one)							
Please indicate the amount of computer experience you have: expert / proficient / beginner (please circle one)							
How do you feel that you learn the best? Interactive (i.e. lab / Reading / Lecture (circle one)							

	Strongly Agree	Agree	Undecided	Disagree	Strongly Disagree
1. This experience increased my understanding of the anatomy of the skull		·			
2. This experience increased my understanding of the clinical implications of the stated conditions					

3. The amount of time for				
the lesson was sufficient?				
4. The amount of time for				
the exam was sufficient?				
5. I would prefer to learn			 	
this material in a lecture				
hall with the virtual				
reality simulator?	,			
6. I would prefer to learn				
this material in a lecture				
hall with a conventional				
didactic lecture?				
What did you like leas What did you like mos				
•		 		